






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
HB	-				
E		REMOVED THE RIB ON THE BASE TO CASE ECO-15-011310	04DEC2015	HYS	CHL



CONNECTION DIAGRAM(3/1)



DRILLING DIAGRAM(3/1)
(BOTTOM VIEW)




Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Fu.Bo	-	TE TE Connectivity		
DIMENSIONS: mm		CHK	XN.ZHANG	-			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	CH.HSU	-	NAME		
0 PLC ± -		PRODUCT SPEC	OJE-SH-112LMH SPEC 000 CUSTOMER DRAWING				
1 PLC ± -		APPLICATION SPEC	SIZE				
2 PLC ± -		WEIGHT	CAGE CODE				
3 PLC ± -		CUSTOMER DRAWING	DRAWING NO				
4 PLC ± -			RESTRICTED TO				
ANGLES ± -			A3 00779 C= 1721870				
MATERIAL	FINISH	SCALE		SHEET		REV	
-	-	5:1		1 OF 2		E	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - , - .
 © COPYRIGHT - By - TE CONNECTIVITY ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
HB	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


1721870-5	OJE-SH-112LMHF,000	12V	OJE-SH-112LMHF	a
TE PART NO	DESCRIPTION	PART B	PART A	TYPE

RELAY TYPE

NOTES:

1.TERMINAL DIMENSION BEFORE TINNING.

② 2.LOT NO. SYSTEM AS FOLLOWING:



③ 2.TERMINAL DIMENSION IS BEFORE SOLDER DIP;

③ 3.FOR THE TIN-PLATING OF THE PINS:

+0.1mm FOR WIDTH, THICKNESS AND DIAMETER.

+0.5mm FOR LENGTH.

④ ④ 4.MARKING FROM INK TO LASER AND USING WELDING CONTACT

⑤ 5.ADD LOT NO. SYSTEM AS FOLLOWING;



I, DIGITS FOR DAY OF THE WEEK

1...MONDAY IN THIS WEEK;

2...TUESDAY IN THIS WEEK;

7...SUNDAY IN THIS WEEK

II, DIGITS FOR SHIFT OF THE DAY

1...DAY SHIFT IN THIS DAY;


2...NIGHT SHIFT IN THIS DAY;

III, ONE CHARACTER DISTINGUISH THE LINE IDENTITY, SUCH AS: A,B,...Z

		UV GLUE	SEAL (VENT HOLE)	16
		EPOXY RESIN	SEAL (BASE & BOBBIN)	15
		MW79	MAGNETIC WIRE	14
94V-0		P.B.T	CASE	13
94V-0		P.B.T	BASE	12
94V-0		NYLON	BOBBIN	11
	SOLDER DIP	C.P WIRE	COIL TERMINAL	10
94V-0		P.P.S	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	NO.CONTACT	7
		STEEL	HINGE SPRING	6
	SOLDER DIP	PBP	NO.TERMINAL	5
	SOLDER DIP	PBS	MOVABLE SPRING	4
	NIP	STEEL	CORE	3
	NIP	STEEL	ARMATURE	2
	NIP	STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± -
	1 PLC ± -
	2 PLC ± -
	3 PLC ± -
	4 PLC ± -
	ANGLES ± -
MATERIAL	FINISH
-	-



DWN	Fu.Bo	-
CHK	XN.ZHANG	-
APVD	CH.HSU	-
PRODUCT SPEC	-	-
APPLICATION SPEC	-	-
WEIGHT	-	-
CUSTOMER DRAWING		

STE TE Connectivity

OJE-SH-112LMH SPEC 000 CUSTOMER DRAWING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	1721870	-
SCALE		SHEET	REV
5:1		2 OF 2	E